	pollution				
• Loss of biodive	rsity				
• Desertification					
i) What is metabolism?					
The sum of all chen	nical reactions	occurring in a	n organisi	m	
i) State two major properti		_	_		
Cohesive to	nehavior				
	moderate temp	erature			
•	upon freezing				
 Versatility 	as a solvent				
v) State the monomers of t	following poly	saccharides.			
Inulin					
			•••••	••••••	•••••
Pectin					
Pectin Inulin - fructose					
Pectin Inulin - fructose Pectin - Galacturor	nic acid				
Pectin Inulin - fructose Pectin - Galacturor v) Given below are the obs	nic acid				
Pectin Inulin - fructose Pectin - Galacturor	nic acid				
Pectin Inulin - fructose Pectin - Galacturor v) Given below are the obs	nic acid				
Pectin Inulin - fructose Pectin - Galacturor v) Given below are the obs amylase enzyme.	nic acid ervations in a	laboratory exp	eriment c	onducted to demor	nstrate the activity
Pectin Inulin - fructose Pectin - Galacturor v) Given below are the obsamylase enzyme. Time spent (minutes)	nic acid ervations in a	laboratory exp 15 black-blue	eriment co	onducted to demor	astrate the activity 45 yellow - brown
Pectin Inulin - fructose Pectin - Galacturor v) Given below are the obset amylase enzyme. Time spent (minutes) Colour observed a) What is the comp	nic acid ervations in a	laboratory exp 15 black-blue	eriment co	onducted to demor	astrate the activity 45 yellow - brown
Pectin Inulin - fructose Pectin - Galacturor V) Given below are the obse amylase enzyme. Time spent (minutes) Colour observed a) What is the composolution? Moltose b) State one reason for	br each of the f	laboratory exp 15 black-blue due to the act	eriment control 25 blue ion of the	onducted to demor	45 yellow - brown e on starch in the

•	Absence of starch	in the solution	n/ The end of starch	in the solution		
c)	Why are the mix	tures used in t	he above experimen	nt kept in a water bat	h?	
		-	rature during the tin			
d)	-		-	ot undergo chemica	l change although it	Ĺ
	contributes to the					
	* The enzyme ar		•••••			•••••
B)	•	·				
i) What i	is the type of enzy	me present in	lysosomes?			
•	Hydrolytic enzyr	nes		••••••		·•••••
ii) Write	two biological fur		somes.			
				• • • • • • • • • • • • • • • • • • • •		
•	Digest food partic	cles received b	y phagocytosis.			
•	Transport residue	material out o	of cell by exocytosis			
iii) Name a	a common structure	e that can be s	een in the mitochon	drial matrix and in t	he stroma of chloro	plasts.
•	Circular DNA/ 70	S ribosomes				
iv) What a	re the processes of	producing A	TP on the sites giver	n below?		
•	In the matrix of n	nitochondrium	ı -			
•	Substrate phosph	orylation				
•		•	chloroplasts			
•	Oxidative phosp		•			
v) Given be		•	takes place in Sacci	haromyces.		
,		•	1			
	E	F		С		
				\neg) \neg		
gluc	cose —	eq	2 pyruvate	D	2 C ₂ H	₅OH
		•			▼ —	
	А	В		F	E	
		1		Υ		
	Sto	ep 1		Ster	n 7	

a) Name the compounds stated as C, D, E and F in the above diagram.

C -..... CO₂


Step 2

D	
	Acetaldehide
Е	
	NAD+
F	-
_	NADH
b) How is	the second step in the above diagram important for cell metabolism?
Preve	enting NAD+ being a limiting factor
	wo economical usages of the end products of the above process.
• To pr	roduce alcohol/alcoholic solutions
	ery products
C)	
	two principles used by Lamarck to explain his hypothesis?
• Use a	and disuse
	ritance of acquired characteristics
	is meant by classification science?
	is meant by classification science.
The scie	ntific study of classifying, identifying, naming, and explaining organisms.
	he genetic material found in protocell.
Ribo Nu	cleic Acid/RNA
b) State	two living characteristics of protocell.
• Grov	wth/evolution/enzyme catalyzed reactions/replication
iii) a) Name	e the eons in which animal evolution took place.
	erozoic
• Phan	erozoic
b) State	one major function of each of the following structures?
	ppodia
-	notion/feeding
tube fe	eet

•	Parapodia		
•	Setae		
•	clitellum		
v) Na	me one plant genus which shows each of the char	acteristic given below?	
	Characteristic	Plant genus	
a.	Having a dioicous gametophyte		Nephrolepis
b.	Having trimerous flowers		Cocos
c.	Protonema present in the life cycle		Pogonatum
d.	Bearing a fruit with two wing like structures		Dipterocarpus
)			
A) i) What i	is a stomata?		
•	Stomata are pores surrounded by guard cells in	the epidermis of the leaves and stems	
	can open and close.		
ii) a) What	is the hypothesis which is used to explain the ope	ning and closing of stomata?	
	K+ influx hypothesis		
b) ii) a) above?	Write the basic steps related to the opening of sto	mata according to the hypothesis men	tioned in (a)
		cumulate K+from neighboring epider	mal cells.
	During the day time, the guard cells actively ac		
•	During the day time, the guard cells actively ac Lowering the water potential of guard cells, as		
		the concentration of guard cells increa	

iii) Given below is a graph drawn according to the data collected in order to find the solute potential of *Rhoeo* epidermal cells and a table of the solute potential of sucrose solutions.

Molarity of the sucrose solution (moldm ⁻³)	Solute potential (KPa)
0. 1	- 260
0.2	-540
0.3	-820
0.4	-1120
0.5	-1450
0.6	-1800



		. y
•	of sucrose solutions	Percentage of flaccid cells
b) What is the	e assumption used in this ex	xperiment'?
When the pe	ercentage of flaccid cells is	50%, the cells of the tissue are at initial flaccidity.
c) State the va	alue of solute potential of R	Rhoeo epidermal tissues according to the above data,?
- 1120KPa		
d) What is the	e reason for closing the petr	ri dishes containing tissues in (iii) above?
• To pr	revent evaporation of water	/ To prevent the change of concentration of sucrose solution
• To pr	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?
• To pr	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?
To pr State the major Osmos	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?
To pr State the major Osmos Osmos b) State the path	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?
To pr State the major Osmos b) State the path	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?
To prove the major Osmos State the path Apo	method of water entering f	To prevent the change of concentration of sucrose solution from soil solution to root hair cells?

• Prevents solutes that have accumulated in the xylem from leaking back into the soil solution. iii) What is meant by plant stress?
Certain factors in the environment that have potentially adverse effects on the survival, growth and reproduction of plants.
 iv) State the abiotic stress condition for the following response. Increasing the proportion of unsaturated fatty acids in the cell membranes of cells-
Cold stress
• leaves roll into a tube -like shape
• Drought stress
Increasing the level of solutes like sugar in cytoplasm
Cold stress
v) What is the plant growth regulatory substance, that removes K ⁺ from the guard cells, in the scarcity of water?
Abscisic acid vi) Name two chemical compounds which are produced in plants after being infected by pests and pathogens.
• Phenolics/flavonoids
Toxic compounds
• Enzymes
C) i) a) State the location of epithelial tissues.
Covers external or internal free surfaces and organs.
b) State three functions of epidermal tissues?
• Protection
• Secretion
Absorption What is the street one formal in homeon would not inhomeonic about the level more land.
c) What is the structure found in human mouth which contains skeletal muscles?
• tongue
ii) State three adaptations of the stomach lining to be protected from gastric juice.

• Prevent entering unnecessary things and toxic things to the vascular tissue.

Secretion of inactive enzymes Secretion of mucus Every three days, cell division adds a new epithelial cell layer which replaces the destroyed/damaged cells in the lining of the stomach. As chylomicrons As chylomicrons Blood vessels with incomplete walls located in liver lobules between pairs of liver column cells b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins Vi(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
Secretion of mucus Every three days, cell division adds a new epithelial cell layer which replaces the destroyed/damaged cells in the lining of the stomach. III) In which form, the end products of lipids are absorbed into the lacteal? As chylomicrons No a) What are liver sinusoids? Blood vessels with incomplete walls located in liver lobules between pairs of liver column cell by What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied of Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins Vi(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
Every three days, cell division adds a new epithelial cell layer which replaces the destroyed/damaged cells in the lining of the stomach. In which form, the end products of lipids are absorbed into the lacteal? As chylomicrons As chylomicrons As chylomicrons Blood vessels with incomplete walls located in liver lobules between pairs of liver column cell. b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied of Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins Vi(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	·
damaged cells in the lining of the stomach. ii) In which form, the end products of lipids are absorbed into the lacteal? • As chylomicrons y) a) What are liver sinusoids? • Blood vessels with incomplete walls located in liver lobules between pairs of liver column cells b) What is the reason for having a high concentration of nutritional materials in sinusoids? • As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. • Essential amino acids • Essential fatty oils • Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. • Air is filtered (by hairs) • Air is warmed. • Air is humidified (b) State a respiratory function of the larynx? • Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
As chylomicrons v) a) What are liver sinusoids? Blood vessels with incomplete walls located in liver lobules between pairs of liver column cell. b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
As chylomicrons v) a) What are liver sinusoids? Blood vessels with incomplete walls located in liver lobules between pairs of liver column cell. b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied and two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
Blood vessels with incomplete walls located in liver lobules between pairs of liver column cells b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
Blood vessels with incomplete walls located in liver lobules between pairs of liver column cells. b) What is the reason for having a high concentration of nutritional materials in sinusoids? As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied. Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	
As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	b) What is the reason for having a high concentration of nutritional materials in sinusoids?
 As a mixture of blood from both tiny branches of the portal vein and hepatic artery is supplied of Name two essential nutrients to the human body. Essential amino acids Essential fatty oils Vitamins Vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Essential amino acids Essential fatty oils Vitamins Vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Essential amino acids Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	Name two essential nutrients to the human body.
 Essential fatty oils Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Vitamins vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity. Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Air is filtered (by hairs) Air is warmed. Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	vi)(a) i) State two happenings that occur when inhaled air travels through spaces in the nasal cavity.
 Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	
 Air is humidified (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	• Air is filtered (by hairs)
 (b) State a respiratory function of the larynx? Helps to keep the airways open as the walls of the trachea are strengthened by cartilage. 	Air is warmed.
Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.	• Air is humidified
	(b) State a respiratory function of the larynx?
(i) A) a) Write two examples for antigen presenting cells.	Helps to keep the airways open as the walls of the trachea are strengthened by cartilage.
(i) A) a) Write two examples for antigen presenting cells.	
	(1) A) a) Write two examples for antigen presenting cells.
	Macrophages

3.

 Viral proteins 	
Bacterial toxins	
Bacterial cell wa	lls/ chemical components of bacterial structures such as flagella.
 Incompatible blo 	
 Transplanted tiss 	ues
i) a) Write one function of the f	Following effector cells.
Cytotoxic T -cells	
Directly killing	the infected cells using toxic proteins.
Plasma cells	
 Producing antib 	podies and secreting them.
b) State two differences between	ween effector cells and memory cells?
	ave a short life span while memory cells have a long life span.
• Effector cells of	create primary immunity responses while memory cells create secondary
Effector cells c immunity response.	
immunity responsion immunity responsion immunity responsion.	
immunity responsition in the second immunity responsition with the second immunity responsition in the	gular shaped cavities formed by the central canal in the brain.
immunity responsition in the second immunity responsition with the second immunity responsition in the	onses.
immunity responsition in the immunity responsition what are brain ventricles? • Irrediv) Name a structure that origin	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem.
immunity responsition with the	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem.
immunity responsition. • Irrediv) Name a structure that original Portion. • Name phases of action potent	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem.
immunity responsition with the	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem.
immunity responsition. • Irrediv) Name a structure that original Portion. • Name phases of action potent	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem.
immunity responsition. • Irreviv) Name a structure that original Portion. • Portion Name phases of action potent hase.	egular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem. as varolii /brain stem ial and state a main difference in the ion channels of the cell membrane in ea
immunity responsition. • Irreviv) Name a structure that original Portion. • Portion Name phases of action potent hase.	gular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem. ns varolii /brain stem ial and state a main difference in the ion channels of the cell membrane in ea
immunity responsition. • Irreviv) Name a structure that original Portion. • Portion Name phases of action potent hase.	gular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem. ns varolii /brain stem ial and state a main difference in the ion channels of the cell membrane in ea
immunity responsition • Irreviv) Name a structure that origin • Porty Name phases of action potent hase. Phase depolarization	gular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem. ns varolii /brain stem ial and state a main difference in the ion channels of the cell membrane in each opening of Sodium ion channels
immunity responsition. • Irreviv) Name a structure that originmunity. • Portion Name phases of action potent hase.	gular shaped cavities formed by the central canal in the brain. nates from the embryonic hindbrain which is a part of the brain stem. ns varolii /brain stem ial and state a main difference in the ion channels of the cell membrane in each of the cell membrane. Change

Dendritic cells

• A horn glands	none that redirects the chemical signals from hypothalamus to other endocrine
B) i) What is the blo	ood vessel that transports deoxygenated blood from the fetus to the placenta?
• Umbilio	cal arteries/artery
ii) Write a tempo	rary birth control method that affects the following.
 Preventing imp 	plantation by making the endometrium thin
• Depo P	Provera injection
• Blocks enterin	g sperms to the uterus by thickening cervical mucus
oral contract	ceptives for females/Depo Provera injection
iii) a) What is infe	rtility?
• Inabili	ity to conceive offspring
b) Write two m	ethods of assisted reproductive technology used, to resolve infertility.
•	Vitro Fertilization htra-Cytoplasmic Sperm Injection
(iv)(a) Write two ch	naracteristic features of muscle tissue.
irritabiextensicontracelastici	cility
(b) What is a san	comere?
• Repea	ting contractile units present within a striated muscle cell.
v) The diagram filament theory.	below shows a step that occurs when a muscle is contracting according to sliding

10.70		
ĮVI	yosin head	Actin /thin filaments
b) Write two	molecules/structures that	at can be attached with the part of the structure you mentioned in
oove (v) (a).		
• ATP		
• Actin	filaments/Actin binding on is contributing to mus	sites scle contraction according to the sliding filament theory.
•	Ca ⁺²	
) Write two desir	able properties of garder	n pea plants (Pisum sativum) used by Mendel for genetic
experiments.		
	a plants are available in 1 e generation time is shor	many varieties with contrasting traits.
• A	large number of offspring	g is produced from each cross.
	-	s could be strictly controlled. mozygous genotype for both characters in a cross between
two heterozyg	ous organisms.	
• 1/	/4	
i) State the t	wo current occasions wh	nere Mendel's law of segregation can be applied.
	· •	ent chromosomes (genes on non-homologous chromosomes)
iv) What is the p	•	on the same chromosome offspring with yyBbRr genotype, by a cross between two offspring with
• 1	/8	
v) (a) What is th	e main reason for the abi	normality of the hemoglobin molecule of a person with sickle cell?
	naemia?	
• a		
• ai		

(b) V eukaryot	• DNA histone protein complex inside the nucleus. What are the two structural differences that can be seen in the two types of chromatin four es?
	Evolution is lightly modered, and hotomorphysmotin is tightly modered
•	Euchromatin is lightly packed, and heterochromatin is tightly packed. Euchromatin is rich in genes and heterochromatin has a lesser number of genes.
(ii) What	is DNA replication?
•	The process which copies a double stranded DNA to produce two identical copies.
(iii) Sta	te two functions of DNA polymerase in DNA replication.
	Adding the deoxyribonucleotides according to a correct order.
•	Identifying mismatches and removing the incorrect nucleotide by exonuclease activity/procreading activity.
•	Replacing the RNA primer with DNA by identifying DNA-RNA hybrid.
(iv) W	rite two differences in the DNA replication between a prokaryotic and an eukaryotic.
•	Prokaryotes usually have one Ori while an Eukaryotic chromosome has several Ori.
•	The DNA replication of the prokaryotes occurs continuously, where as in eukaryotes it happens only in the S-phase of cell cycle.
•	The DNA polymerases in eukaryotes and prokaryotes are different from each other in their structure.


- The possibility of horizontal gene transfer of antibiotic resistant genes is a potential health issue.
- Allergy development due to consumption of GM food or inhaling pollen of GM crops.

Sickle shape in red blood cells.

 At each trophic level in the food cl 	hain, a considerable fraction (about 90%) of the potentia
energy is lost as heat and respiration	/ As a result, organisms in each trophic level pass on lesse
energy (about 0%) to the next trophi	c level than they actually receive.
ii) Name a biome for each of the following.	
a) Presence of a layer of permanent frost layer	of soil
b) Fire resistant roots.	
c) Conical shape trees with needle like leaves.	.=
Tundra, Chaparral, Northern coniferous forest	
iv) How is peat is formed in marshes and swam	np forests?
Partially decomposed organic matter	er
Name an ecosystem in Sri Lanka in which the fol	
·	Savanna
b) Dipterocarpus zeylanicus	Tropical wet lov
inforests	
d) Cassia auriculata	Tropical thorn
ame an animal belonging to the following IUCN to	hreatened category.
	Animal
IUCN / Threatened category	-
IUCN / Threatened category Extinct (EX)	Dodo/Wooly Mammoth
	Dodo/Wooly Mammoth Elephant/Etha, Aliya/Etha (s)
Extinct (EX)	*
Extinct (EX) Endangered (EN) Extinct in the wild (EW)	Elephant/Etha, Aliya/Etha (s) Giant tortoise of Seychelles
Extinct (EX) Endangered (EN)	Elephant/Etha, Aliya/Etha (s) Giant tortoise of Seychelles

decreased with increasing depth in the soil. $% \label{eq:controlled}$

ii) Given below is a flow chart of C recycling in the nature.



a) Name the steps A,B,C,D, and E in the above C cycle.

A -photosynthesis B -respiration

C -death/dying D -decomposition

E -combustion

b) Name the step in above diagram which directly affects global warming.

.

• E

c) Name the international protocol to minimize the effect you mentioned above.

.....

- Kyoto Protocol
- (iii) (a) State two physical methods of controlling the diseases Dengue and Filaria.

- Destroying the places where mosquitoes are spreading.
- Environmental management
- (b) Write a special morphological feature of the adult filaria vector.

- The nervures of wings of adult mosquito are beset with brown or blackish scales.
- Posterior margin of the wings is fringed with bristle and scales.

(c) Name a bacterial species which produces endotoxins that is used to kill mosquitoes.

.....

• Bacillus thuringiensis israelensis

	• roses	
(v) Write the major principle which is used in the given food preservative techniques. • Drying with salt		
	Preventing the growth and activity of microorganisms	
•	 Killing microorganisms	
) (a) W	rite two special characteristics shown by stem cells regarding cell division.	
•	Can divide by mitosis without a limit.	
•	Divide at a relatively slow rate.	
(b) S	tate two medical uses of adult stem cells.	

- To repair tissues such as damaged heart muscles and damaged spinal neurons.
- To replenish bone marrow of patients with leukemia.
- To identify birth defects.
- For gene therapy/ To change the genes for the supply of genes.